Community Health Needs Assessment (CHNA)

Annual Implementation Strategy

Corning Hospital 1 Guthrie Drive, Corning, NY 14830 FY2022

General Information

Contact Person: Felissa Koernig

Date of Written Plan: October 1, 2021

Date Written Plan Was Adopted by Organization's Authorized Governing Body: October 20, 2021

Date Written Plan Was Required to Be Adopted: November 15, 2021

Authorizing Governing Body that Adopted the Written Plan: Corning Hospital Board of Directors

Name and EIN of Hospital Organization Operating Hospital Facility: Corning Hospital 16-0393490

Address of Hospital Organization: One Guthrie Drive, Corning, NY 14830

I. Purpose of Implementation Strategy

This Implementation Strategy has been prepared to comply with federal tax law requirements set forth in Internal Revenue Code section 501(r) requiring hospital facilities owned and operated by an organization described in Code section 501(c)(3) to conduct a community health needs assessment at least once every three years and adopt an implementation strategy annually to meet the community health needs identified through the community health needs assessment. This Implementation Strategy is intended to satisfy each of the applicable requirements set forth in proposed regulations released April 2013.

II. List of Community Health Needs Identified in Written Report

List of Community Health Needs Identified in CHNA Written Report, Ranked by CHNA's Priority:

- Access to Mental Health Care (focus: substance abuse)
- Cancer Incidence Lung
- Obesity
- Preventable Hospital Events
- HIV Screenings

III. Health Needs Planned to Be Addressed by Facility

List of Significant Health Needs the Facility Plans to Address include:

- Access to Mental Health Care (focus: substance abuse)
- Cancer Incidence Lung
- Obesity

Please refer to the attached tables which provide a detailed description of intervention actions (including collaborative efforts), population description, Guthrie resources utilized, and evaluation tools by measurable effectiveness criteria. These tables are stratified by priority health need.

IV. Health Needs Facility Does Not Intend to Address

List of Significant Health Needs the Facility Does Not Plan to Address include:

- Preventable Hospital Events
- HIV Screenings

Due to available resources these needs will not be addressed through an implementation strategy in the subsequent fiscal years. However, due to the overlap in disease etiology between the identified priority needs and these needs an impact is anticipated.

Additionally, five interventions present in the FY 2021 Implementation plan were not included in the FY 2022 Implementation Plan as constraints due to COVID-19 will limit the ability to develop and provide these interventions (Obesity Intervention #2, #4, #6, Cancer Incidence – Lung Intervention #1, and Mental Health Care Intervention #7).

Intervention Description	Population Description	Effect Measure	Evaluation of Intervention	Program Frequency
 Intervention #1: Provide standardized education to primary care providers regarding ways to treat and counsel overweight and obese patients. The program will be offered face to face by a Guthrie Bariatrician. The purpose of this program will be to provide primary care providers with resources to successfully counsel patients about their weight (expand Obesity Care into Primary Care). Suggested Core Competencies for the Primary Care Providers (PCP) will include: a. Evaluation and treatment of the obese patient (adult and pediatric) b. Dietary therapy for the obese patient c. Pharmacotherapy for the obese patient d. Common medications and their effect on weight loss e. Writing an exercise prescription f. Including obesity management in your clinical practice – including reimbursement g. Coding and billing for obesity related services 	Population: Guthrie PCP network that covers Chemung, NY, Schuyler, NY, and Steuben, NY counties Clients receive intervention within the PCP office or in the community. Sample Size per class may vary dependent upon outreach facility and provider involvement.	Continue core curriculum as described, including progress note templates and counseling materials/meal plans	Evaluate protocol specified clinical (patient) and provider outcome measures	Annually

	Intervention Description	Population Description	Effect Measure	Evaluation of Intervention	Program Frequency
Intervention #2	Intervention #2: Continue partnership with GoNoodle, a company that provides online movement videos and games, to get elementary age kids moving more at school and at home. The goal is to increase physical activity among kids. Guthrie is fully funding the cost of GoNoodle's premium version, GoNoodle Plus, for 185 public and private elementary schools in the region.	Population: Elementary age children from Chemung, NY, Schuyler, NY, and Steuben, NY counties	Count of students active across the 185 schools	Measure the percentage of addressable market	Annually – Ongoing
Intervention #3	Intervention #3: Continue community fitness activities including the Annual Turkey Trot, Guthrie Gallop, and Guthrie Wineglass Marathon	Population: Community members from Chemung, NY, Schuyler, NY, and Steuben, NY counties	Count of attendees at each event	Evaluate community attendance relative to previous years	Annually – Ongoing

Intervention Description	Population Description	Effect Measure	Evaluation of Intervention	Program Frequency
Intervention Description Intervention #4: Focus on the promotion and addition or healthy options and menus in Guthrie hospital cafeterias. In addition to serving size and nutrition facts, provide labeling and information to indicate foods that are vegetarian, appropriate for those with gluten sensitivity or a Guthrie Good Healthy Choice pick. Promote healthy menus and food choices through the "Motivational Monday" initiative and other cafeteria- lee initiatives designed to help patrons make healthier eating choices.	Population: All Guthrie employees and general public in Chemung, NY, Schuyler, NY, and Steuben, NY counties	Effect Measure Count of healthy food options that become available.		-

 Intervention Description	Population Description	Effect Measure	Evaluation of Intervention	Program Frequency
Intervention #1: Promote the health and wellness of employees, patients, and communities through tobacco cessation. Provide smoking cessation resources to employees and community members who wish to quit, including quit aids, therapeutic counseling, relapse prevention	Population: All Guthrie employees and general public in Chemung, NY, Schuyler, NY, and Steuben, NY counties	The number of individuals receiving/ accessing tobacco cessation resources The number of individuals that cease	Assessment of the number of individuals who reportedly received tobacco cessation resources and quit within one year	Annually- Ongoing
counseling, and access to mental health professionals.		use of tobacco products		
Enforce and Encourage TGC Policy of tobacco-free environments on all Guthrie campuses.				

Intervention Description	Population Description	Effect Measure	Evaluation of Intervention	Program Frequency
Intervention #2: Promote the importance of lung cancer screening and treatment.	Population: All Guthrie lung cancer screening patients	The number of high-risk patients receiving appropriate lung cancer	Measure increase in lung cancer screenings from previous year for high-risk	Annually- Ongoing
Inform and educate high-risk populations about lung cancer screenings (patients who are 55 - 80 years of age, have a 30-pack history of smoking, and are a current smoker or have quit within the last 15 years).		screenings	patients	
Promote earlier detection of lung cancer with the goal of more successful treatment.				
	Intervention #2: Promote the importance of lung cancer screening and treatment. Inform and educate high-risk populations about lung cancer screenings (patients who are 55 - 80 years of age, have a 30-pack history of smoking, and are a current smoker or have quit within the last 15 years). Promote earlier detection of lung cancer with the goal of	Intervention #2: Promote the importance of lung cancer screening and treatment.Population: All Guthrie lung cancer screening patientsInform and educate high-risk populations about lung cancer screenings (patients who are 55 - 80 years of age, have a 30-pack history of smoking, and are a current smoker or have quit within the last 15 years).Population: All Guthrie lung cancer screening patientsPromote earlier detection of lung cancer with the goal ofPopulation: All Guthrie lung cancer screening patients	Intervention #2: Promote the importance of lung cancer screening and treatment.Population: All Guthrie lung cancer screening patientsThe number of high-risk patients receiving appropriate lung cancer screeningsInform and educate high-risk populations about lung cancer screenings (patients who are 55 - 80 years of age, have a 30-pack history of smoking, and are a current smoker or have quit within the last 15 years).Population: All Guthrie lung cancer screening patientsThe number of high-risk patients receiving appropriate lung cancer screeningsPromote earlier detection of lung cancer with the goal ofPopulation: All Guthrie lung cancer screening patientsThe number of high-risk patients receiving appropriate lung cancer screenings	Intervention #2: Promote the importance of lung cancer screening and treatment.Population: All Guthrie lung cancer screening patientsThe number of high-risk patients receiving appropriate lung cancer screeningsMeasure increase in lung cancer screenings from previous year for high-risk patientsInform and educate high-risk populations about lung cancer screenings (patients who are 55 - 80 years of age, have a 30-pack history of smoking, and are a current smoker or have quit within the last 15 years).Population: All Guthrie lung cancer screening patientsThe number of high-risk patients receiving appropriate lung cancer screeningsMeasure increase in lung cancer screenings from previous year for high-risk patientsPromote earlier detection of lung cancer with the goal ofPopulation: All Guthrie lung cancer screening patientsThe number of high-risk patients receiving appropriate lung cancer screeningsMeasure increase in lung cancer screenings from previous year for high-risk patients

	Intervention Description	Population Description	Effect Measure	Evaluation of Intervention	Program Frequency
Intervention #1	 Intervention 1: Use Patient Health Questionnaire-9 (PHQ-9) to evaluate depression in patients when appropriate. Use PHQ-9 as a clinical and research tool to evaluate and measure depression severity in patients. The resulting score for the questionnaire depicts a patient's clinical need for mental health care. Use PHQ-9 screening tool based on scores to determine if a mental health referral is justified. 	Population: Patients receiving the PHQ-9 tool	Track the number of patients assessed by the PHQ-9 tool	The number of patients who are referred to a Mental Health Provider after completion of the Patient Health Questionnaire-9	Annually- Ongoing
	Intervention #2: Continue collaboration with CASA/ Trinity. Working with CASA/Trinity, provide education to Guthrie Social Workers, Crisis Workers and Care Coordinators on local resources and other drug and alcohol topics as identified. Through enhanced collaboration and education provided by Trinity, care transitions for patients with drug and alcohol dependency needs will be improved.	Population: Guthrie Providers and Patients	Number of referrals Evaluate the referral process into Trinity from Guthrie.	Number of collaborative events between Guthrie and CASA/Trinity Continuous evaluation of referral process	Annually- Ongoing

	Intervention Description	Population Description	Effect Measure	Evaluation of Intervention	Program Frequency
Intervention #3	Intervention #3: Expand telemedicine programs and specialties to include telepsychiatry, beginning in July 2019. Video-based telepsychiatry helps improve patient access to mental health services. The service allows for convenient, readily-accessible mental health services to a patient's location. Mental health care providers are able to deliver live, interactive communication to more remote, rural locations.	Population: Guthrie Patients	The number of patients that use telepsychiatry services	Track total number of individuals utilizing telepsychiatry services and evaluate relative to the use of other psychiatric services	Annually- Ongoing
Intervention #4	 Provides more under-served locations access to mental health care services. Intervention #4: Provide provider education for opiate prescribing and management. Address the appropriate prescribing practices of opiates. Education will include information such as the various types of opiates, drug duration, hazards of long-term use, etc. 	Population: Guthrie Providers	The number of providers receiving education to combat the epidemic of opioid abuse in Guthrie communities	Count of providers receiving education on opiate prescribing	Annually- Ongoing
Intervention #5	Intervention #5: Implement changes in discharge planning process to increase patient access to substance abuse resources Implement discharge planning process changes to include contact information for substance abuse resources. Additionally, if the patient consents, staff or Social Work will initiate the appointment making process.	Population: Guthrie Patients	The number of discharges created with contact information for substance abuse resources	The number of patients that allow staff social work to initiate resource contact	Annually- Ongoing

	Intervention Description	Population Description	Effect Measure	Evaluation of Intervention	Program Frequency
Intervention #6	Intervention #6: Continue drug disposal and events promoting safe drug disposal using safe disposal units MedSafe® drug disposal units are installed for use at multiple Guthrie hospitals. MedSafe® drug disposal units allow for safe and anonymous disposal of unused or expired medications by community members. The units are available for the community during pharmacy hours. "Opioid Take Back Day" is an annual event that utilizes the MedSafe® bins to encourage employees and community members to clean out unneeded medications from their medicine cabinets and drop them in the bin at the pharmacy to be disposed of properly. The focus on this day will be on the safe disposal of opioids to help prevent the misuse of these drugs in light of the recent epidemic of opioid abuse in our communities.	Population: Community members in Chemung, NY, Schuyler, NY, and Steuben, NY counties	Monthly use of MedSafe® drug disposal units	The frequency in which the MedSafe® drug disposal units need to be emptied will be evaluated to determine what other resources are warranted	Annually- Ongoing