

Tylenol Dosing Chart	
0-3 months (6-11 lbs.)	40 mg
4-11 months (12-17 lbs.)	80 mg
12-23 months (18-23 lbs.)	120 mg
2-3 years (24-35 lbs.)	160 mg
4-5 years (36-47 lbs.)	240 mg
6-8 years (48-59 lbs.)	320 mg
9-10 years (60-71 lbs.)	400 mg
11 years (72-95 lbs.)	480 mg
12-14 years (96 lbs and over)	650 mg

Versed Dosage Chart	
Dose 0.2-0.3 mg/kg → Dr. Brown maximum dose 10 mg for kids	
10 kg (22 lbs.)	2-3 mg
15 kg (33 lbs.)	3-4.5 mg
20 kg (44 lbs.)	4-6 mg
25 kg (55 lbs.)	5-7.5 mg
30 kg (66 lbs.)	6-9 mg
35 kg (77 lbs.)	7-10.5 mg
40 kg (88 lbs.)	8-12 mg
45 kg (99 lbs.)	9-13 mg
50 kg (110 lbs.)	10-15 mg.

The usual doses for children is given by the table below, and are to be given every 4-6 hours as needed for pain. These doses correspond to an average individual dose of 0.27 ml/kg of Lortab Elixir (providing 0.135 mg/kg of hydrocodone bitartrate and 9 mg/kg of acetaminophen). Dosing should be based on weight whenever possible.

Lortab Elixir			
Body Weight	Approximate Age	Dose ever 4-6 hrs.	Max. Daily Dose (6 doses/day)
12-15 kg (27-34 lbs.)	2 to 3 years	¾ tsp. = 3.75 ml	4 ½ tsp.=22.5 ml
16-22 kg (35-50 lbs.)	4 to 6 years	1 tsp.= 5 ml	6 tsp.= 30 ml
23-31 kg (51-69 lbs.)	7 to 9 years	1 ½ tsp. = 7.5 ml	9 tsp. = 45 ml
32-45 kg (70-100 lbs.)	10 to 13 years	2 tsp. = 10 ml	12 tsp. = 60 ml
46 kg and over 100 lbs.	14 years to adult	1 tablespoon=15 ml	6 tablespoon=90 ml

The usual adult dose is one tablespoon every 4 to 6 hours as needed for pain. The total daily dose for adults should not exceed 6 tablespoons.